

# BMW (EU) 3 SERIES E30 318i WITH CATALYST (1988-1991)

**ENGINE M40**

Capacity: 4 liter, Filter capacity: 0,25 liter

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Bi-Turbo 15W-40</b>	<b>HDX 20W-50</b>	

USE		CLIMATE
Flexible (on board maintenance system)		Cold
PRODUCT RECOMMENDATION 1		
<b>Emperol 10W-40</b>		

USE		CLIMATE
Flexible (on board maintenance system)		Arctic
PRODUCT RECOMMENDATION 1		
<b>Asyntho 5W-30</b>		

**DIFFERENTIAL REAR**

Capacity: 0,9 liter

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1		
<b>Gearlube GL-5 80W-90</b>		

**TRANSMISSION AUTOMATIC 4/1**

Capacity: 3 liter

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1		
<b>ATF Dexron II-D</b>		

**TRANSMISSION MANUAL 5/1**

Capacity: 1,15 liter

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 5015</b>	<b>Gearlube GL-4 80W</b>	

# BMW (EU) 3 SERIES E30 318i WITH CATALYST (1988-1991)



## HYDRAULIC BRAKE/CLUTCH SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Drauliquid-LV Super DOT 4</b>	<b>Drauliquid-S DOT 4</b>	

*Change every 12 months*

## POWER STEERING SEPARATE SYSTEM

USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1		
<b>ATF Dexron II-D</b>		

## COOLING SYSTEM

Capacity: 6 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Coolant SP 11</b>		

*Change every 24 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*