

# BMW (EU) 3 SERIES CONVERTIBLE E93

## 325D DPF (2007-2010)



**ENGINE** M57TU2  
Capacity: 7,5 liter

USE

Flexible (max)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

**Helar SP LL-03 5W-30**

PRODUCT RECOMMENDATION 2

**Presteza MSP 5W-30**

PRODUCT RECOMMENDATION 3

**Helar MSP+ 5W-40**

*Change every 30000 km/ 24 months*

**DIFFERENTIAL REAR** 188L  
Capacity: 1 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

**TRANSMISSION AUTOMATIC** ZF 6HP19 6/1  
Capacity: 9-9,5 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

**TRANSMISSION MANUAL** ZF GS6-53BZ/DZ 6/1  
Capacity: 2,2 liter (Dry fill, with oil cooler), Capacity: 1,6 liter (Dry fill, without oil cooler), Capacity: 1,5 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 5015**

**TRANSMISSION MANUAL WITH MTF-LT3 LABEL** ZF GS6-53BZ/DZ 6/1  
Capacity: 2,2 liter (Dry fill, with oil cooler), Capacity: 1,6 liter (Dry fill, without oil cooler), Capacity: 1,5 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 5015**

# BMW (EU) 3 SERIES CONVERTIBLE E93

## 325D DPF (2007-2010)



### HYDRAULIC SYSTEM ROOF SYSTEM

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Fluid 3023</b>     |  |          |

### HYDRAULIC BRAKE/CLUTCH SYSTEM DSC

| USE                              |  | CLIMATE  |
|----------------------------------|--|----------|
| Normal                           |  | Moderate |
| PRODUCT RECOMMENDATION 1         |  |          |
| <b>Drauliquid-LV Super DOT 4</b> |  |          |

*Change every 24 months*

| USE                              |  | CLIMATE  |
|----------------------------------|--|----------|
| Severe                           |  | Moderate |
| PRODUCT RECOMMENDATION 1         |  |          |
| <b>Drauliquid-LV Super DOT 4</b> |  |          |

*Change every 12 months*

### POWER STEERING WITH ACTIVE FRONT STEERING/ ACTIVE ROLL STABILIZATION

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Fluid 3013</b>     |  |          |

### POWER STEERING SEPARATE SYSTEM

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>ATF Dexron II-D</b>   |  |          |

### COOLING SYSTEM

Capacity: 0-0 liter (Between min and max.)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Coolant SP 11</b>     |  |          |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUCT RECOMMENDATION

# **BMW (EU) 3 SERIES CONVERTIBLE E93 325D DPF (2007-2010)**



*information contained herein is subject to changes without notification.*