BUICK (USA / CAN) RENDEZVOUS RENDEZVOUS 3.6 V6 24V AWD (2003-2006)



ENGINE LY7 Capacity: 5,2 liter, Filter capacity: 0,4 liter		
use Flexible (max)		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Presteza MSP 5W-30	PRODUCT RECOMMENDATION 2 Xedoz FE 5W-30	

Change every 12 months

DIFFERENTIAL REAR (4x4) Capacity: 1,9 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
Check every 12 months		

TRANSFERBOX Capacity: 0,3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	
Check every 12 months	

USE	apacity: 9,5-9,9 liter (Overhaul capacity), Capacity: 7-7,4 liter (Service fill) CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Check every 12 months, change ev	rery 160000 km
USE	CLIMATE

Severe		Moderate
PRODUCT RECOMMENDATION 1 SP Matic 4036		
Check every 12 months, change every 8	0000 km	

BUICK (USA / CAN) RENDEZVOUS RENDEZVOUS 3.6 V6 24V AWD (2003-2006)



HYDRAULIC BRAKE SYSTEM		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Check every 12 months		

COOLING SYSTEM Capacity: 9,1-10,7 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15	Coolant SP 15+		

Check every 12 months, change every 240000 km/60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.