CADILLAC (EU) ATS(-V) ATS 2.0 AWD (2013-2014)



ENGINE LTG Ecotec Capacity: 5,7 liter	
USE	CLIMATE
Flexible (max)	Moderate
PRODUCT RECOMMENDATION 1	
Presteza MSP 5W-30	
Change every 15000 km/ 12 months	

	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2		
Syngear TDL 75W-90		
		PRODUCT RECOMMENDATION 2

DIFFERENTIAL REAR LIMITED SLIP	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear LS 1015	
Change every 84000 km	

TRANSFERBOX

Capacity: 0,8 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

JSE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 150000 km	
JSE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	

CADILLAC (EU) ATS(-V) ATS 2.0 AWD (2013-2014)



RANSMISSION MANUAL Tremec M3L TR3160 6/1		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
Change every 72000 km		

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Check every 15000 km/ 12 months, change every 24 months	S

HYDRAULIC CLUTCH SYSTEM
Capacity: 0-0 liter (Between min and max.)

USE

Normal

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

Check every 15000 km/ 12 months, change every 24 months

COOLING SYSTEM Capacity: 7,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	

Check every 15000 km/12 months, change every 250000 km/60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.