CHEVROLET (USA / CAN) CRUZE J300 CRUZE 2.0 TURBO DIESEL DOHC (2014-2016)



| ENGINE LUZ Capacity: 4,5 liter | |
|------------------------------------|----------|
| USE | CLIMATE |
| Flexible (max) | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Presteza MSP 5W-30 | |
| Change every 7500 miles/ 12 months | |
| USE | CLIMATE |
| Flexible (max) | Arctic |
| PRODUCT RECOMMENDATION 1 | |
| Helar 0W-40 | |
| | |

Change every 7500 miles/ 12 months

| TRANSAXLE AUTOMATIC Aisin Warner AF 40-6 (MDK) 6/1 Capacity: 8,5 liter | | | |
|---|--|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | | | |
| SP Matic 4036 | | | |
| Chack even 7500 miles, change even 07500 miles | | | |

Check every 7500 miles, change every 97500 miles

| USE | | CLIMATE |
|--|--|----------|
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| SP Matic 4036 | | |
| Check eveny 7500 miles, change eveny 45000 miles | | |

Check every 7500 miles, change every 45000 miles

| HYDRAULIC BRAKE/CLUTCH SYSTEM | | | |
|-------------------------------|--|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | | | |
| Drauliquid DOT 3 | | | |
| | | | |

Check every 7500 miles, change every 45000 miles/ 36 months

CHEVROLET (USA / CAN) CRUZE J300 CRUZE 2.0 TURBO DIESEL DOHC (2014-2016)



| COOLING SYSTEM Capacity: 8,3 liter | | |
|---------------------------------------|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 15 | Coolant SP 15+ | |
| | | |

Check every 7500 miles, change every 150000 miles/ 60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.