

# CHEVROLET (USA / CAN) EXPRESS

## GMT610 EXPRESS 4.8 V8 (2008-2010)



**ENGINE LY2**  
Capacity: 5,7 liter

| USE            | CLIMATE  |
|----------------|----------|
| Flexible (max) | Moderate |

PRODUCT RECOMMENDATION 1

**Presteza MSP 5W-30**

PRODUCT RECOMMENDATION 2

**Xedoz FE 5W-30**

*Change every 12 months*

**DIFFERENTIAL REAR**  
Capacity: 2,03-3,13 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Syngear TDL 75W-90**

**TRANSMISSION AUTOMATIC 4L60-E 4/1**  
Capacity: 4,7 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

*Check every 6 months, change every 100000 miles*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

*Check every 6 months, change every 50000 miles*

# CHEVROLET (USA / CAN) EXPRESS

## GMT610 EXPRESS 4.8 V8 (2008-2010)


**TRANSMISSION AUTOMATIC 4L80-E 4/1**

Capacity: 7,3 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Check every 6 months, change every 100000 miles*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Check every 6 months, change every 50000 miles*
**TRANSMISSION AUTOMATIC 6L90-E 6/1**

Capacity: 6 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Check every 6 months, change every 100000 miles*

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Check every 6 months, change every 50000 miles*
**HYDRAULIC BRAKE SYSTEM**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Check every 12 months*
**POWER STEERING**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**ATF Almirol**

# CHEVROLET (USA / CAN) EXPRESS

## GMT610 EXPRESS 4.8 V8 (2008-2010)



### WHEEL BEARINGS FRONT

| USE                            |  | CLIMATE  |
|--------------------------------|--|----------|
| Normal                         |  | Moderate |
| PRODUCT RECOMMENDATION 1       |  |          |
| <b>HT Q9 High Grade Grease</b> |  |          |

### COOLING SYSTEM

Capacity: 12,7 liter, Capacity: 15,5 liter (+ rear heater)

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant SP 15</b>     | <b>Coolant SP 15+</b>    |          |

*Check every 6 months, change every 150000 miles/ 60 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*