CITROËN C5 X7 C5 2.0 HDI DPF (120 KW)

(2008-2011)



ENGINE DW10CTED4 Capacity: 5,25 liter, Filter capacity: 0,25 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Avanza MSP 0W-30 Presteza MSP 5W-30		Avanza MSP+ 5W-30
Change every 30000 km/24 months		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30

CLIMATE
Moderate

Check every 60000 km/24 months

Change every 20000 km/ 12 months

TRANSAXLE AUTOMATIC AL4 4/1 Capacity: 5,85 liter (Dry fill), Capacity: 3 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2032		
	<u> </u>	1

TRANSAXLE AUTOMATIC AM6 6/1 Capacity: 7 liter (Dry fill), Capacity: 3 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
Check every 60000 km/24 months		1

CITROËN C5 X7 C5 2.0 HDI DPF (120 KW)

(2008-2011)



TRANSAXLE AUTOMATIC AT6 6/1 Capacity: 7 liter (Dry fill), Capacity: 3 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
01 1 2000001 104 11		

Check every 60000 km/24 months

TRANSAXLE MANUAL MCM 6/1 Capacity: 2,2 liter (Dry fill), Capacity: 2,1 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube RPC 75W-80	

TRANSAXLE MANUAL ML6C 6/1

Capacity: 1,9 liter (carter/oil pan with ribs), Capacity: 2,6 liter (carter/oil pan without ribs), Capacity: 2,2 liter (Dry fill, carter/oil pan without ribs), Capacity: 2,9 liter (Dry fill, carter/oil pan without ribs)

SP Gear 5015 Gearlube RPC 75W-80		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Filled for life		Moderate
USE		CLIMATE
p (- · y · ···) (- · y · ···)		

Check every 24 months/ 30000 km

HYDRAULIC ACTUATION MCP GEARBOX		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		

HYDRAULIC SYSTEM POWER STEERING/LEVELLING Capacity: 4,3 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		
Check every 24 months/ 30000 km		

CITROËN C5 X7 C5 2.0 HDI DPF (120 KW)



(2008-2011)

HYDRAULIC BRAKE/CLUTCH SYSTEM			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4 Drauliquid-S DOT 4			

Check every 30000 km, change every 24 months

Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Normal		Moderate
USE		CLIMATE
GREASE POINTS/NIPPLES		

Check every 20000 km/24 months

COOLING SYSTEM Capacity: 10,8 liter, Capacity: 11,5 liter (+ automatic transmission/transaxle)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		
Check every 24 months/ 30000 km	·	

AIRCONDITIONING COMPRESSOR

Capacity: 135 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 625 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

PARTICLE FILTER ADDITIVE SYSTEM

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.