CITROËN NEMO MULTISPACE A9 NEMO MULTISPACE 1.3 HDI 75 (2010-2011)



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Presteza MSP 5W-30	Avanza MSP+ 5W-30

Change every 30000 km/24 months

HYDRAULIC ACTUATION GEARBOX	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3023	

TRANSAXLE AUTOMATED MTA 6/1			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 5015	Gearlube RPC 75W-80		

	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2		
Gearlube RPC 75W-80		
		PRODUCT RECOMMENDATION 2

Check every 12 months/ 30000 km

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,5 liter	ABS
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Check every 30000 km/ 12 months, change every 60000 km/ 24 months	

PRODUCT RECOMMENDATION

CITROËN NEMO MULTISPACE A9 NEMO MULTISPACE 1.3 HDI 75 (2010-2011)



POWER STEERING Capacity: 0,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	

GREASE POINTS/NIPPLES HOMOKINETIC JOINTS DIFFERENTIAL SIDE Capacity: 0,15 kg		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gear Grease EP 0		

GREASE POINTS/NIPPLES HOMOKINETIC JOINTS WHEEL SIDE Capacity: 0,13 kg

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM Capacity: 7,6 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Check every 12 months/ 30000 km	'

AIRCONDITIONING Capacity: 500 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR

Capacity: 130 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.