## **CITROËN XM XM 2.0I 16V** (1995-2001)



ENGINE XU10J4R Capacity: 4,25 liter, Filter capacity: 0,3 liter			
USE		climate Moderate	
Normal			
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Specialsynth MSP 5W-40	Emperol 5W-40	Asyntho 5W-30	
Change every 20000 km/ 12 months			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Specialsynth MSP 5W-40	Emperol 5W-40	Asyntho 5W-30	
Change every 10000 km/ 12 months			

TRANSAXLE AUTOMATIC 4HP18 4/1 Capacity: 2,4 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
Check every 20000 km/ 12 months, change every 40000 km		
USE	CLIMATE	

USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	

Check every 10000 km/ 12 months, change every 40000 km

TRANSAXLE MANUAL BE3/5 5/1 Capacity: 1,85 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube RPC 75W-80	

## **CITROËN XM XM 2.0I 16V** (1995-2001)



HYDRAULIC SYSTEM POWER STEERING/BRAKE BOOSTER/LEVELLING Capacity: 5,4 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
LHM +			
Check every 20000 km/ 12 months, change	e every 120000 km/ 60 months		

COOLING SYSTEM Capacity: 8,8 liter, Capacity: 11 liter (with automatic transmission)			
USE	CLIMATE		
Normal	Moderate		
PRODUCT RECOMMENDATION 1			
Coolant -38 Organic NF			
Change every 120000 km/ 60 months	·		

Change every 120000 km/60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.