## DACIA LOGAN II L52\K52 LOGAN II 1.2 16V LPG (2012-2016)



ENGINE D4F-734 Capacity: 4 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-30	Duranza LSP 5W-30	Helar 0W-40		
Check every 15000 km/ 12 months, change every 30000 km/ 24 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-30	Duranza LSP 5W-30	Helar 0W-40		
Change every 15000 km/ 6 months				

TRANSAXLE MANUAL JH3 5/1 Capacity: 2,35-3,26 liter			
USE		CLIMATE	CLIMATE
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1081	SP Gear 5015		

HYDRAULIC BRAKE/CLUTCH SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			
Charles a variety 45000 livral 40 magnifies a harrieg a variety 00000 livral 40 magnifies				

Check every 15000 km/ 12 months, change every 90000 km/ 48 months

POWER STEERING			
USE	CLIMATE		
Normal	Moderate		
PRODUCT RECOMMENDATION 1			
ATF Dexron II-D			

PRODUCT RECOMMENDATION

## DACIA LOGAN II L52\K52 LOGAN II 1.2 16V **LPG** (2012-2016)



COOLING SYSTEM Capacity: 4,5 liter, Capacity: 5,45 liter (+ airconditioning)					
USE		CLIMATE			
Normal		Moderate			
PRODUCT RECOMMENDATION 1					
Coolant SP 16					
Check every 15000 km/ 12 months, change every 90000 km/ 48 months					

Check every 15000 km/12 months, change every 90000 km/48 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.