DAIHATSU VALÉRA VALÉRA 1.5I 16V (1994-1998)



ENGINE HE-E Capacity: 3,5 liter, Filter capacity: 0,2 liter		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
HDX 20W-50		
Check every 3000 km, change every 1000	0 km/ 12 months	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Emperol 10W-40	Classic Racing Oil 15W-50	
Check every 3000 km, change every 1000	0 km/ 12 months	

USE		CLIMATE	
Normal		Cold	
PRODUCT RECOMMENDATION 1			
Asyntho 5W-30			
Check every 3000 km, change every 10000 km/ 12 months			

TRANSAXLE AUTOMATIC 4/1 Capacity: 3,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	
Change aver (80000 km/ 40 months	

Change of	every	80000	km/	48	months
-----------	-------	-------	-----	----	--------

TRANSAXLE MANUAL 5/1 Capacity: 2,3 liter USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	Syngear TDL 75W-90

Check every 10000 km/ 12 months, change every 80000 km/ 48 months

DAIHATSU VALÉRA VALÉRA 1.5I 16V (1994-1998)



HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Check every 10000 km/ 12 months, change every 80000 km/ 48 months

POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	

Check every 10000 km/ 12 months

COOLING SYSTEM Capacity: 4,7 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	
Check every 10000 km/ 12 months, change every 24	! months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.