DODGE (USA / CAN) NEON / SX PL NEON 2.0 16V (98 KW) (USA) (2002-2005)



| ENGINE Capacity: 4,3 liter | | | |
|-----------------------------------|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Presteza MSP 5W-30 | Xedoz FE 5W-30 | | |
| Change every 6000 miles/ 6 months | | | |
| USE | | CLIMATE | |
| Severe | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Presteza MSP 5W-30 | Xedoz FE 5W-30 | | |
| Change every 3000 miles | | | |

| TRANSAXLE AUTOMATIC 4/1 Capacity: 8,1 liter | |
|---------------------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4026 | |
| USE | CLIMATE |
| Severe | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4026 | |
| Change every 60000 miles | |

| TRANSAXLE MANUAL NV T350 5/1 Capacity: 2,4-2,7 liter | |
|------------------------------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4026 | |
| USE | CLIMATE |
| Severe | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4026 | |
| | |

DODGE (USA / CAN) NEON / SX PL NEON 2.0 16V (98 KW) (USA) (2002-2005)



| HYDRAULIC BRAKE SYSTEM | |
|--------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Drauliquid DOT 3 | |
| | |
| HYDRAULIC CLUTCH SYSTEM | |
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Drauliquid DOT 3 | |
| | |
| POWER STEERING | |
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4026 | |
| | |
| | |
| COOLING SYSTEM | |
| Capacity: 6.2 liter | |

COOLING SYSTEM
Capacity: 6,2 liter

USE

Normal

PRODUCT RECOMMENDATION 1

Coolant SP 12 EVO

Change over 1,00000 miles (50 menths)

Change every 100000 miles/60 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.