

DODGE (EU) NITRO KA NITRO 2.8 CRD AWD (2007-2010)



ENGINE KJ28D
Capacity: 6,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Helar MSP+ 5W-40	Specialsynth MSP 5W-40

Change every 20000 km

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Helar MSP+ 5W-40	Specialsynth MSP 5W-40

Change every 10000 km

DIFFERENTIAL FRONT (4x4)
Capacity: 1,24 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
Gearlube GL-5 80W-90	

Check every 20000 km

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	
Gearlube GL-5 80W-90	

Change every 20000 km

DIFFERENTIAL REAR
Capacity: 2,08 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Gearlube Racing 75W-140	Gearlube HS GL-5 80W-140

Check every 20000 km

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Gearlube Racing 75W-140	Gearlube HS GL-5 80W-140

Change every 20000 km

DODGE (EU) NITRO KA NITRO 2.8 CRD AWD (2007-2010)

**TRANSFERBOX**

Capacity: 0,85 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Check every 80000 km*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Change every 100000 km/ 60 months***TRANSMISSION AUTOMATIC 42RLE 4/1**

Capacity: 8,3 liter (Dry fill), Capacity: 3,8 liter (Service fill)

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Check every 1 months, change every 100000 km/ 60 months***TRANSMISSION MANUAL NSG370 6/1**

Capacity: 1,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Check every 40000 km***HYDRAULIC BRAKE SYSTEM**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

DODGE (EU) NITRO KA NITRO 2.8 CRD AWD (2007-2010)



POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 1 months

COOLING SYSTEM

Capacity: 12 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

Check every 1 months, change every 160000 km/ 60 months

AIRCONDITIONING SYSTEM

Capacity: 510 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.