

FORD (EU) MUSTANG, 6TH GEN S550 MUSTANG GT 5.0 V8 (308 KW) 6TH GEN (2014-2017)



ENGINE Ti-VCT
Capacity: 7,6 liter

USE

Flexible (max)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Duranza ECO 5W-20*Change every 15000 km/ 12 months***DIFFERENTIAL REAR**

Capacity: 1,6 liter, Capacity: 0,1 liter (with friction modifier)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071**TRANSMISSION AUTOMATIC** 6R80 6/1

Capacity: 12,3 liter (Dry fill), Capacity: 3,3 liter (Service fill)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4036

PRODUCT RECOMMENDATION 2

SP Matic 2032*Change every 240000 km/ 180 months***TRANSMISSION MANUAL** MT82 6/1

Capacity: 2,6 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1081*Change every 240000 km/ 180 months***HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0-0 liter (Between min and max.)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4*Change every 24 months*

FORD (EU) MUSTANG, 6TH GEN S550 MUSTANG GT 5.0 V8 (308 KW) 6TH GEN (2014-2017)

**COOLING SYSTEM**

Capacity: 12,9-13,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	

Change every 80000 km/ 36 months

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	

*Change every 160000 km/ 72 months***AIRCONDITIONING**

Capacity: 600 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR

Capacity: 100 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.