

# FORD (USA) C-MAX C-MAX 2.0 ENERGI (2013-2014)



**ENGINE** Atkinson 2.0  
Capacity: 4,3 liter

| USE            | CLIMATE  |
|----------------|----------|
| Flexible (max) | Moderate |

PRODUCT RECOMMENDATION 1

**Duranza ECO 5W-20**

*Check every 1 months, change every 10000 miles/ 12 months*

**TRANSAXLE CVT HF35**  
Capacity: 5,4 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**

*Change every 150000 miles*

## HYDRAULIC BRAKE SYSTEM

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

*Change every 24 months*

## COOLING SYSTEM

Capacity: 8,3 liter

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 15**

PRODUCT RECOMMENDATION 2

**Coolant SP 15+**

*Change every 50000 miles/ 36 months*

| USE               | CLIMATE  |
|-------------------|----------|
| First change only | Moderate |

PRODUCT RECOMMENDATION 1

**Coolant SP 15**

PRODUCT RECOMMENDATION 2

**Coolant SP 15+**

*Change every 100000 miles/ 72 months*

# FORD (USA) C-MAX C-MAX 2.0 ENERGI (2013-2014)


**COOLING SYSTEM INVERTER SYSTEM CONTROLLER**

Capacity: 1 liter

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant SP 15</b>     | <b>Coolant SP 15+</b>    |          |

Change every 50000 miles/ 36 months

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| First change only        |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant SP 15</b>     | <b>Coolant SP 15+</b>    |          |

Change every 100000 miles/ 72 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.