

# FORD (USA) MUSTANG, 4TH GEN

## MUSTANG 3.8 V6 (1994-2000)

**ENGINE**

Capacity: 4,7 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Asyntho 5W-30***Change every 8000 km/ 12 months***DIFFERENTIAL REAR**

Capacity: 1,5 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Gearlube GL-5 80W-90***Check every 8000 km***TRANSMISSION AUTOMATIC**

Capacity: 13,1 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****SP Matic 2032***Check every 24000 km/ 24 months, change every 48000 km/ 48 months***TRANSMISSION MANUAL**

Capacity: 2,6 liter

**USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****SP Matic 2032****PRODUCT RECOMMENDATION 2****ATF Almirol****PRODUCT RECOMMENDATION 3****ATF Dexron II-D***Check every 8000 km***HYDRAULIC BRAKE/CLUTCH SYSTEM****USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Drauliquid DOT 3***Check every 12 months, change every 24 months*

# FORD (USA) MUSTANG, 4TH GEN

## MUSTANG 3.8 V6 (1994-2000)



### POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Matic 2032</b>	<b>ATF Almirol</b>	<b>ATF Dexron II-D</b>

Check every 8000 km

### COOLING SYSTEM

Capacity: 11,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Coolant SP 18</b>		

Check every 12 months, change every 160000 km

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*