## FORD (USA) MUSTANG, 5TH GEN MUSTANG 4.6 V8 (2008-2011)



ENGINE (280 ci) Capacity: 5,7 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Duranza ECO 5W-20	Asyntho 5W-30	

Change every 8000 km/ 12 months

DIFFERENTIAL REAR LIMITED SLIP Capacity: 2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube Racing 75W-140	
Chack avery 12 months, change avery 240000 km	·

Check every 12 months, change every 240000 km

TRANSMISSION AUTOMATIC Capacity: 11,2 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	

Check every 24000 km/24 months, change every 48000 km/48 months

TRANSMISSION MANUAL Capacity: 3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 2032	
Check every 12 months	

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Check every 12 months, change every 24 months	

## FORD (USA) MUSTANG, 5TH GEN MUSTANG 4.6 V8 (2008-2011)



POWER STEERING Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
SP Matic 2032	ATF Almirol	ATF Dexron II-D	
01	·	·	

Check every 12 months

COOLING SYSTEM Capacity: 11,8 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 12	Coolant SP 11		
Check every 12 months, change ev	verv 240000 km	'	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.