Change every 10000 miles/ 12 months

FORD (USA) TAURUS D3 TAURUS SHO 3.5 ECOBOOST V6 AWD (2013-2015)



ENGINE EcoBoost Capacity: 5,7 liter		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Duranza LSP 5W-30	Xedoz FE 5W-30	
Change every 5000 miles/ 6 months		
USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Duranza LSP 5W-30	Xedoz FE 5W-30	

DIFFERENTIAL REAR Capacity: 1,15 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

TRANSAXLE AUTOMATIC 6F55 6/1 Capacity: 11 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 4036	SP Matic 2032	

Check every 10000 miles/ 12 months, change every 150000 miles

		·	
SP Matic 4036	SP Matic 2032		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Severe		Moderate	
USE		CLIMATE	

Check every 10000 miles/ 12 months, change every 30000 miles

FORD (USA) TAURUS D3 TAURUS SHO 3.5 ECOBOOST V6 AWD (2013-2015)



TRANSFERBOX Capacity: 0,53 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube Racing 75W-140	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid-LV Super DOT 4		
Check every 10000 miles/ 12 months		

COOLING SYSTEM Capacity: 10,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	
Change every 50000 miles/ 36 mor	nths	

USE		CLIMATE	
	First change only		Moderate
	PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
		l	

Coolant SP 15 Coolant SP 15+

Change every 100000 miles/72 months

AIRCONDITIONING COMPRESSOR

Capacity: 155 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 740 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.