HONDA (USA / CAN) FIT III GK5 FIT 1.5 16V (2014-2017)

ENGINE L15B1
Capacity: 3,3 liter, Filter capacity: 0,2 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

Presteza MSP 0W-20

Change every 12 months

TRANSAXLE CVT 1/1
Capacity: 3,4 liter (Service fill)

USE	CLIMATE
Flexible (on board maintenance system)	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4016

TRANSAXLE MANUAL 6/1
Capacity: 1,4 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015

HYDRAULIC BRAKE/CLUTCH SYSTEM
Capacity: 0-0 liter (Between min and max.)

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3

Check every 1 months, change every 36 months

COOLING SYSTEM
Capacity: 3,8 liter

USE	CLIMATE
Flexible (on board maintenance system)	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+

HONDA (USA / CAN) FIT III GK5 FIT 1.5 16V (2014-2017)

AIRCONDITIONING COMPRESSOR
Capacity: 55-67 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM
Capacity: 375-425 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.