HONDA (EU) FR-V FR-V 2.0I (2004-2007)



ENGINE K20A9 Capacity: 5,3 liter (Dry fill), Capacity: 4,2 liter (Service fill), Filter capacity: 0,2 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30		
Change every 20000 km/ 12 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30		
Change every 10000 km/ 6 months				

TRANSAXLE MANUAL JTW5 6/1 Capacity: 1,7 liter (Dry fill), Capacity: 1,5 liter (Service fill)				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
SP Gear 5015				
Change every 120000 km/ 96 months	<u>'</u>			

HYDRAULIC BRAKE/CLUTCH SYSTEM				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3		
Change every 36 months	'	'		

POWER STEERING Capacity: 0,8 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

HONDA (EU) FR-V FR-V 2.0I (2004-2007)



COOLING SYSTEM Capacity: 6,3 liter (Dry fill), Capacity: 5 liter (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 20000 km/ 12 months, change every 100000 km/ 60 months				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 20000 km/ 12 months, change every 200000 km/ 120 months				

AIRCONDITIONING

Capacity: 530-580 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING COMPRESSOR

Capacity: 100 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.