# HONDA (EU) JAZZ HYBRID GP1 JAZZ HYBRID (2011-2015)



ENGINE LDA3 Capacity: 3,6 liter (+ oil level sensor), Capacity: 3,2 liter (Service fill), Filter capacity: 0,2 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30	
Change every 20000 km/ 12 months			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Presteza MSP 0W-20	Presteza MSP 0W-30	Duranza LSP 5W-30	
Change every 10000 km/ 6 months			

## TRANSAXLE CVT 1/1

Capacity: 5,2 liter (Dry fill), Capacity: 2,8 liter (Service fill)

Check every 20000 km/ 12 months, change every 36 months

We are unable to give a standard recommendation for this component. Please contact our service department.

HYDRAULIC BRAKE/CLUTCH SYSTEM ABS Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3	

COOLING SYSTEM Capacity: 4,56 liter (Service fill)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Check every 20000 km/ 12 months, change	ery 100000 km/ 60 months

USE	CLIMATE
First change only	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

Check every 20000 km/ 12 months, change every 200000 km/ 120 months

#### AIRCONDITIONING COMPRESSOR

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

# HONDA (EU) JAZZ HYBRID GP1 JAZZ HYBRID (2011-2015)



## **AIRCONDITIONING SYSTEM**

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.