

HYUNDAI (EU) EQUUS / CENTENNIAL VI

EQUUS / CENTENNIAL 3.8 V6 MPI (216 KW)

(2011-2013)



ENGINE Lambda
Capacity: 5,2 liter

USE	CLIMATE
Preferred	Mediterranean

PRODUCT RECOMMENDATION 1

Emperol 10W-40

Change every 15000 km/ 12 months

USE	CLIMATE
Preferred	Moderate

PRODUCT RECOMMENDATION 1

Duranza ECO 5W-20

PRODUCT RECOMMENDATION 2

Presteza MSP 5W-30

PRODUCT RECOMMENDATION 3

Duranza LSP 5W-30

Change every 15000 km/ 12 months

USE	CLIMATE
Severe (preferred)	Mediterranean

PRODUCT RECOMMENDATION 1

Emperol 10W-40

Change every 7500 km/ 6 months

USE	CLIMATE
Severe (preferred)	Moderate

PRODUCT RECOMMENDATION 1

Duranza ECO 5W-20

PRODUCT RECOMMENDATION 2

Presteza MSP 5W-30

PRODUCT RECOMMENDATION 3

Duranza LSP 5W-30

Change every 7500 km/ 6 months

USE	CLIMATE
Alternative (acceptable)	Mediterranean

PRODUCT RECOMMENDATION 1

Emperol 10W-40

PRODUCT RECOMMENDATION 2

Bi-Turbo 15W-40

PRODUCT RECOMMENDATION 3

Bi-Turbo 20W-50

Change every 15000 km/ 12 months

USE	CLIMATE
Alternative (acceptable)	Moderate

PRODUCT RECOMMENDATION 1

Duranza ECO 5W-20

PRODUCT RECOMMENDATION 2

Duranza LSP 5W-30

PRODUCT RECOMMENDATION 3

Asyntho 5W-30

Change every 15000 km/ 12 months

USE	CLIMATE
Alternative, severe	Mediterranean

PRODUCT RECOMMENDATION 1

Emperol 10W-40

PRODUCT RECOMMENDATION 2

Bi-Turbo 15W-40

PRODUCT RECOMMENDATION 3

Bi-Turbo 20W-50

Change every 7500 km/ 6 months

HYUNDAI (EU) EQUUS / CENTENNIAL VI

EQUUS / CENTENNIAL 3.8 V6 MPI (216 KW)

(2011-2013)



USE		CLIMATE
Alternative, severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Duranza ECO 5W-20	Duranza LSP 5W-30	Asyntho 5W-30
<i>Change every 7500 km/ 6 months</i>		

DIFFERENTIAL REAR Capacity: 1,4 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90
<i>Check every 48 months/ 60000 km</i>		

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90
<i>Change every 120000 km</i>		

TRANSMISSION AUTOMATIC 8/1 Capacity: 10,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
<i>Check every 48 months/ 60000 km</i>		

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
<i>Change every 90000 km</i>		

HYDRAULIC BRAKE SYSTEM Capacity: 0,7-0,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3
<i>Check every 15000 km/ 12 months, change every 30000 km/ 24 months</i>		

HYUNDAI (EU) EQUUS / CENTENNIAL VI

EQUUS / CENTENNIAL 3.8 V6 MPI (216 KW)

(2011-2013)

**POWER STEERING**

Capacity: 0,9 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

COOLING SYSTEM

Capacity: 10,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Change every 30000 km/ 24 months

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Change every 210000 km/ 120 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.