

JEEP (EU) GRAND CHEROKEE WJ GRAND CHEROKEE 2.7 CRD (2001-2005)

**ENGINE**

Capacity: 6,5 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Emperol 10W-40***Change every 20000 km/ 12 months***USE**

Normal

CLIMATE

Arctic

PRODUCT RECOMMENDATION 1**Emperol 5W-40****PRODUCT RECOMMENDATION 2****Asyntho 5W-30***Change every 20000 km/ 12 months***DIFFERENTIAL REAR**

Capacity: 1,7-2,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube GL-5 80W-90***Check every 20000 km, change every 40000 km***DIFFERENTIAL REAR Quadra Drive**

Capacity: 1,7-2,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube Racing 75W-140***Check every 20000 km, change every 40000 km***DIFFERENTIAL REAR Vari-Lok**

Capacity: 1,7-2,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Gearlube Racing 75W-140***Check every 20000 km, change every 40000 km*

JEEP (EU) GRAND CHEROKEE WJ GRAND CHEROKEE 2.7 CRD (2001-2005)



DIFFERENTIAL REAR LIMITED SLIP

Capacity: 1,7-2,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Check every 20000 km, change every 40000 km*

DIFFERENTIAL REAR LIMITED SLIP Quadra Drive

Capacity: 1,7-2,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Check every 20000 km, change every 40000 km*

DIFFERENTIAL REAR LIMITED SLIP Vari-Lok

Capacity: 1,7-2,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Check every 20000 km, change every 40000 km*

TRANSMISSION AUTOMATIC 545RFE 5/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4026*Check every 20000 km, change every 40000 km*

HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3*Check every 20000 km, change every 48 months*

JEEP (EU) GRAND CHEROKEE WJ GRAND CHEROKEE 2.7 CRD (2001-2005)



POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		

Check every 20000 km

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Check every 20000 km

COOLING SYSTEM

Capacity: 14,2 liter

USE		CLIMATE
Extended		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Check every 20000 km, change every 60 months

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant -38 Organic NF		

Check every 20000 km, change every 48 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.