LINCOLN MKT MKT 2.0 ECOBOOST (2013-2016)



ENGINE EcoBoost Capacity: 5,4 liter		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Duranza LSP 5W-30	Xedoz FE 5W-30	
Change every 5000 miles/ 6 months		
USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Duranza LSP 5W-30	Xedoz FE 5W-30	
Change every 10000 miles/ 12 months		

TRANSAXLE AUTOMATIC 6F35 6/1	
Capacity: 8,5 liter (Dry fill) use	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1 SP Matic 4036	
Change every 150000 miles	'
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	

TRANSAXLE AUTOMATIC 6F50 6/1 Capacity: 10,3 liter (Dry fill)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 150000 miles	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 30000 miles	

Change every 30000 miles

LINCOLN MKT MKT 2.0 ECOBOOST (2013-2016)



TRANSAXLE AUTOMATIC 6F55 6/1 Capacity: 11 liter (Dry fill)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 150000 miles	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 30000 miles	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid-LV Super DOT 4		

COOLING SYSTEM Capacity: 11 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15	Coolant SP 15+		
O1	4		

Change every 50000 miles/36 months

Coolant SP 15	Coolant SP 15+	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
First change only		Moderate
USE		CLIMATE

Change every 100000 miles/72 months

AIRCONDITIONING COMPRESSOR

Capacity: 230 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 1110 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or

KROON-OIL B.V. Postbus 149 7600 AC Almelo

Dollegoorweg 15 7602 EC Almelo Telefoon 0546-818165 Verkoop 0546-816184

PRODUCT RECOMMENDATION

LINCOLN MKT MKT 2.0 ECOBOOST (2013-2016)



inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.