

# LINCOLN MKX MKX 3.7 V6 TI-VCT AWD (2013-2015)



**ENGINE** Duratec 37  
Capacity: 5,7 liter

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

**Duranza ECO 5W-20**

*Change every 5000 miles/ 6 months*

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

**Duranza ECO 5W-20**

*Change every 10000 miles/ 12 months*

**DIFFERENTIAL REAR**  
Capacity: 1,15 liter

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

**Gearlube GL-5 80W-90**

*Change every 100000 miles*

**TRANSAXLE AUTOMATIC** 6F50 6/1  
Capacity: 10,4 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

*Change every 150000 miles*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

*Change every 30000 miles*

# LINCOLN MKX MKX 3.7 V6 TI-VCT AWD

## (2013-2015)

**TRANSFERBOX**

Capacity: 0,35 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Gearlube Racing 75W-140</b>		

**HYDRAULIC BRAKE SYSTEM**

Capacity: 0-0 liter (Between min and max.)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Drauliquid-LV Super DOT 4</b>		

**POWER STEERING**

Capacity: 0-0 liter (Between min and max.)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4036</b>		

**COOLING SYSTEM**

Capacity: 11,1 liter, Capacity: 11,3 liter (With Trailer Tow Package)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 15</b>	<b>Coolant SP 15+</b>	

*Check every 6 months, change every 50000 miles/ 36 months*

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 15</b>	<b>Coolant SP 15+</b>	

*Check every 6 months, change every 100000 miles/ 72 months***AIRCONDITIONING COMPRESSOR**

Capacity: 118 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

# LINCOLN MKX MKX 3.7 V6 TI-VCT AWD (2013-2015)



## AIRCONDITIONING SYSTEM

Capacity: 580 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*