## **LINCOLN MKZ MKZ 2.0 HYBRID** (2013-2014)



<b>ENGINE</b> Atkinson Capacity: 4,3 liter			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1			
Duranza ECO 5W-20			
Change every 5000 miles/ 6 months			
USE		CLIMATE	
Flexible (max)		Moderate	
PRODUCT RECOMMENDATION 1			
Duranza ECO 5W-20			
Change every 10000 miles/ 12 months			

TRANSAXLE E-CVT FOR HYBRID 1/1 Capacity: 4,5-5,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 150000 miles	

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Drauliquid-LV Super DOT 4				

## **LINCOLN MKZ MKZ 2.0 HYBRID** (2013-2014)



COOLING SYSTEM ENGINE Capacity: 7-7,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	
Change every 50000 miles/ 36 month	ns	
USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	
Change every 100000 miles/ 72 mon	ths	

COOLING SYSTEM INVERTER Capacity: 1 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15	Coolant SP 15+		
Change every 50000 miles/ 36 months			
USE		CLIMATE	
First change only		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 15	Coolant SP 15+		

Change every 100000 miles/72 months

## AIRCONDITIONING COMPRESSOR

Capacity: 155 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

## **AIRCONDITIONING SYSTEM** Capacity: 570-630 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.