Change every 7500 km/6 months

LOTUS EXIGE MK2 EXIGE S (2006-2013)



ENGINE 2ZZ-GE Capacity: 4,4 liter, Capacity: 3,5 liter (Oil cooler)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Specialsynth MSP 5W-40	Emperol 5W-40	Asyntho 5W-30		
Change every 15000 km/ 12 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Specialsynth MSP 5W-40	Emperol 5W-40	Asyntho 5W-30		

TRANSAXLE MANUAL 6/1 Capacity: 2,3 liter				
use Normal		сымате Moderate		
			PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90		
01 1 450001	20001 (=2			

Check every 45000 km, change every 90000 km/72 months

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 2 liter				
use Normal		сымате Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4			
011	000001 /04 //			

Check every 15000 km/ 12 months, change every 30000 km/ 24 months

COOLING SYSTEM Capacity: 12 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	
Check every 15000 km/ 12 months	change every 48 months	

Check every 15000 km/ 12 months, change every 48 months

AIRCONDITIONING SYSTEM Capacity: 550-860 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or

PRODUCT RECOMMENDATION

LOTUS EXIGE MK2 EXIGE S (2006-2013)



inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.