MAZDA (EU) CX-5 KE CX-5 SKYACTIV-G 2.0 (118 KW) 4WD (2012-2015)



| ENGINE SKYACTIV-G 2.0 Capacity: 4,9 liter (Dry fill), Capacity | v: 4,2 liter (Service fill) | |
|---|-----------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Presteza MSP 0W-20 | Helar SP LL-03 5W-30 | Presteza MSP 5W-30 |
| Change every 20000 km/ 12 month | s | |
| USE | | CLIMATE |
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Presteza MSP 0W-20 | Helar SP LL-03 5W-30 | Presteza MSP 5W-30 |
| Change every 10000 km/ 6 months | | |

| DIFFERENTIAL REAR Capacity: 0,45 liter | |
|--|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Gearlube GL-5 80W-90 | |
| USE | CLIMATE |
| Severe | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Gearlube GL-5 80W-90 | |
| Change every 45000 km | · |

| TRANSAXLE AUTOMATIC FW6AX-EL 6 Capacity: 7,8 liter (Dry fill), Capacity: 3,5-4 | |
|--|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Matic 4036 | |
| Check every 20000 km/ 12 months | |

MAZDA (EU) CX-5 KE CX-5 SKYACTIV-G 2.0 (118 KW) 4WD (2012-2015)



| TRANSAXLE MANUAL C66MX-R 6/1 Capacity: 1,65 liter | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| SP Gear 5015 | |
| Change every 180000 km | |

| TRANSFERBOX Capacity: 0,45 liter | |
|----------------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Gearlube GL-5 80W-90 | |

| USE | | CLIMATE |
|---------------------------|--------------------------|--------------------------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Drauliquid-LV Super DOT 4 | Drauliquid-S DOT 4 | Drauliquid DOT 3 |

| USE | | CLIMATE |
|---------------------------|--------------------------|--------------------------|
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Drauliquid-LV Super DOT 4 | Drauliquid-S DOT 4 | Drauliquid DOT 3 |

Change every 20000 km/ 12 months

| COOLING SYSTEM Capacity: 7,4 liter | |
|------------------------------------|---------------------------------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Coolant SP 14+ | |
| Check every 40000 km/24 months, of | ange every 100000 km/ 60 months |

| USE | CLIMATE |
|---------------------------------------|-----------------------|
| First change only | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Coolant SP 14+ | |
| Chook avany 40000 km/24 months, abone | 200000 km/ 120 months |

Check every 40000 km/24 months, change every 200000 km/120 months

PRODUCT RECOMMENDATION

MAZDA (EU) CX-5 KE CX-5 SKYACTIV-G 2.0 (118 KW) 4WD (2012-2015)



AIRCONDITIONING COMPRESSOR

Capacity: 100 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 445-495 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.