

MERCEDES-BENZ (EU) C-KLASSE W202 / S202 C 280 (1997-2000)



MOTOR M112.920
Füllmenge (gesamt): 8 Liter

BENUTZEN

Normal

KLIMA

Mediterran

PRODUKTBERATUNG 1

Bi-Turbo 20W-50

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Helar 0W-40

PRODUKTBERATUNG 2

Emperol 5W-40

PRODUKTBERATUNG 3

Emperol 5W-50

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200

AUTOMATIKGETRIEBE 722.3xx 4/1

Füllmenge (gesamt): 6,2 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

PRODUKTBERATUNG 3

ATF Almirol

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200
Prüfen jeder 30000 km

AUTOMATIKGETRIEBE 722.4xx 4/1

Füllmenge (gesamt): 5,5 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

PRODUKTBERATUNG 3

ATF Almirol

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200
Prüfen jeder 30000 km

MERCEDES-BENZ (EU) C-KLASSE W202 / S202 C 280 (1997-2000)


AUTOMATIKGETRIEBE 722.6xx 5/1

Füllmenge (gesamt): 8 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1
SP Matic 4026

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B. Prüfen jeder 30000 km

HINTERACHSGETRIEBE

Füllmenge (gesamt): 0,7 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1
SP Gear 1071
PRODUKTBERATUNG 2
Gearlube LS 80W-90

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

HINTERACHSGETRIEBE AUSGLEICHGETRIEBE MIT BEGRENZTEM SCHLUPF

Füllmenge (gesamt): 1,1 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1
SP Gear 1071
PRODUKTBERATUNG 2
Gearlube LS 80W-90

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

SCHALTGETRIEBE 5/1

Füllmenge (gesamt): 1,5 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1
SP Gear 5015

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

MERCEDES-BENZ (EU) C-KLASSE W202 / S202 C 280 (1997-2000)



HYDRAULIKSYSTEM NIVEAUREGULIERUNG

Füllmenge (gesamt): 2 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Fluid 3023

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

HYDRAULISCHES BREMS-/KUPPLUNGSSYSTEM

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Drauliquid-S DOT 4

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B. Wechseln jeder 24 Monate

SERVOLENKUNG

Füllmenge (gesamt): 1 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

KÜHLSYSTEM

Füllmenge (gesamt): 9,5 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Coolant SP 11

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B. Wechseln jeder 36 Monate

Die auf diesem Blatt erwähnten Daten dienen zur Orientierung des Lesers über Eigenschaften und Anwendungen unserer Produkte. Diese Übersicht wurde mit größter Sorgfalt am genannten Datum zusammengestellt. Trotzdem trägt der Hersteller keine Haftung für Schäden infolge von Unvollständigkeiten und/oder Fehlern in der Übersicht, insbesondere, wo es sich um offensichtliche Druckfehler handelt. Für alle Produktlieferungen gelten die Lieferbedingungen des Lieferanten. Vor allem bei kritischen Anwendungen wird dem Leser empfohlen, die letztendliche Produktwahl nach Rücksprache mit dem Lieferanten zu treffen.