## MERCEDES-BENZ (EU) CLS-CLASS C218 / X218 CLS 63 AMG S 4MATIC 218.376/976



(2013-2018)

ENGINE M157.981 Capacity: 8,5 liter	
USE	CLIMATE
Flexible (max)	Moderate
PRODUCT RECOMMENDATION 1	
Helar 0W-40	
Change every 20000 km	

<b>DIFFERENTIAL FRONT</b> Capacity: 0,6 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1071	

USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube Racing 75W-140	
Change every 50000 km/ 36 months	
USE	CLIMATE
Initial service	Moderate
PRODUCT RECOMMENDATION 1	
Gearlube Racing 75W-140	

## MERCEDES-BENZ (EU) CLS-CLASS C218 / X218 CLS 63 AMG S 4MATIC 218.376/976



(2013-2018)

TRANSMISSION AUTOMATIC 722.9xx 7/1 Capacity: 9 liter (Dry fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2094		
Change every 125000 km/ 60 months		
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2094		
Change every 50000 km/ 36 months		

HYDRAULIC BRAKE SYSTEM Capacity: 0,6 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-S DOT 4	
Change every 24 months	

POWER STEERING Capacity: 0,8 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	

COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		
Change every 250000 km/ 180 months	·	

## AIRCONDITIONING COMPRESSOR

Capacity: 120 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

## MERCEDES-BENZ (EU) CLS-CLASS C218 / X218 CLS 63 AMG S 4MATIC 218.376/976



(2013-2018)

**AIRCONDITIONING SYSTEM** Capacity: 640 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.