

MERCEDES-BENZ (EU) S-KLASSE W140 / V140 / C140 S 320 (1994-1998)



MOTOR M104.99x
Füllmenge (gesamt): 7 Liter

BENUTZEN	KLIMA
Normal	Mediterran

PRODUKTBERATUNG 1

Bi-Turbo 20W-50

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 12500 km/ 12 Monate

BENUTZEN	KLIMA
Normal	Gemäßigt

PRODUKTBERATUNG 1

Emperol 5W-40

PRODUKTBERATUNG 2

Emperol 10W-40

PRODUKTBERATUNG 3

Bi-Turbo 15W-40

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 12500 km/ 12 Monate

BENUTZEN	KLIMA
Schwere Einsatzbedingungen	Mediterran

PRODUKTBERATUNG 1

Bi-Turbo 20W-50

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 5000 km/ 6 Monate

BENUTZEN	KLIMA
Schwere Einsatzbedingungen	Gemäßigt

PRODUKTBERATUNG 1

Emperol 5W-40

PRODUKTBERATUNG 2

Emperol 10W-40

PRODUKTBERATUNG 3

Bi-Turbo 15W-40

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 5000 km/ 6 Monate

AUTOMATIKGETRIEBE 722.3xx 4/1
Füllmenge (gesamt): 6,2 Liter

BENUTZEN	KLIMA
Normal	Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

PRODUKTBERATUNG 3

ATF Almirol

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Prüfen jeder 25000 km, wechseln jeder 75000 km

MERCEDES-BENZ (EU) S-KLASSE W140 / V140 / C140 S 320 (1994-1998)



AUTOMATIKGETRIEBE 722.5xx 5/1
Füllmenge (gesamt): 6,2 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

PRODUKTBERATUNG 3

ATF Almirol

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Prüfen jeder 25000 km, wechseln jeder 75000 km

AUTOMATIKGETRIEBE 722.6xx 5/1
Füllmenge (gesamt): 8 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Prüfen jeder 25000 km

HINTERACHSGETRIEBE

Füllmenge (gesamt): 1,2 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Gear 1071

PRODUKTBERATUNG 2

Gearlube GL-5 80W-90

PRODUKTBERATUNG 3

Gearlube LS 80W-90

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Prüfen jeder 25000 km

HYDRAULIKSYSTEM NIVEAUREGULIERUNG

Füllmenge (gesamt): 2 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Fluid 3023

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k
Prüfen jeder 25000 km

MERCEDES-BENZ (EU) S-KLASSE W140 / V140 / C140 S 320 (1994-1998)



HYDRAULIKSYSTEM BREMSEN

Füllmenge (gesamt): 0,7 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Drauliquid-S DOT 4

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 24 Monate

SERVOLENKUNG

Füllmenge (gesamt): 1,4 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Matic 4026

PRODUKTBERATUNG 2

SP Matic 2032

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Prüfen jeder 25000 km

KÜHLSYSTEM

Füllmenge (gesamt): 14,5 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Coolant SP 11

Service intervals for vehicles with ASSYST, from 1.6.1997 onwards: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 k Wechseln jeder 36 Monate

Die auf diesem Blatt erwähnten Daten dienen zur Orientierung des Lesers über Eigenschaften und Anwendungen unserer Produkte. Diese Übersicht wurde mit größter Sorgfalt am genannten Datum zusammengestellt. Trotzdem trägt der Hersteller keine Haftung für Schäden infolge von Unvollständigkeiten und/oder Fehlern in der Übersicht, insbesondere, wo es sich um offensichtliche Druckfehler handelt. Für alle Produktlieferungen gelten die Lieferbedingungen des Lieferanten. Vor allem bei kritischen Anwendungen wird dem Leser empfohlen, die letztendliche Produktwahl nach Rücksprache mit dem Lieferanten zu treffen.