

MERCEDES-BENZ (EU) S-KLASSE W220 / V220 S 320 220.065/165 (1998-2005)

**MOTOR M112.944**

Füllmenge (gesamt): 8 Liter, Filterkapazität: 0,5 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1**Helar 0W-40****PRODUKTBERATUNG 2****Emperol 5W-40****PRODUKTBERATUNG 3****Emperol 5W-50**

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200

AUTOMATIKGETRIEBE 722.618 5/1

Füllmenge (gesamt): 7,5-8 Liter (Trockenfüllung)

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1**SP Matic 4026**

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200

BENUTZEN

Erste Wartung

KLIMA

Gemäßigt

PRODUKTBERATUNG 1**SP Matic 4026**

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200
Wechseln jeder 60000 km

HINTERACHSGETRIEBE

Füllmenge (gesamt): 1,1 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1**SP Gear 1071****PRODUKTBERATUNG 2****Gearlube LS 80W-90**

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >2200

MERCEDES-BENZ (EU) S-KLASSE W220 / V220 S 320 220.065/165 (1998-2005)



AKTIVES FAHRWERKREGELUNGSSYSTEM

Füllmenge (gesamt): 4 Liter (Trockenfüllung)

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Fluid 3013

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

HYDRAULIKSYSTEM BREMSSEN

Füllmenge (gesamt): 0,7-0,9 Liter

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Drauliquid-S DOT 4

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B. Wechseln jeder 24 Monate

SERVOLENKUNG

Füllmenge (gesamt): 1 Liter, Füllmenge (gesamt): 1,25 Liter (Mit "Active Body"-Steuersystem (ABC))

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

SP Fluid 3013

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B.

KÜHLSYSTEM

BENUTZEN

Normal

KLIMA

Gemäßigt

PRODUKTBERATUNG 1

Coolant SP 11

PRODUKTBERATUNG 2

Coolant SP 12 EVO

Service intervals for vehicles with ASSYST: A display indicates when the next service is due. First service for new cars is a Service B. If the last service was a Service A: Service B. If the last service was a Service B: <22000 km ago: Service A, >22000 km ago: Service B. Wechseln jeder 250000 km/ 180 Monate

KLIMAAANLAGE

Füllmenge (gesamt): 950 Gramm, Füllmenge (gesamt): 1050 Gramm (+ hintere Klimaanlage)

Für diese Komponente kann keine Standardempfehlung abgegeben werden. Wenden Sie sich bitte an unseren technischen Dienst.

MERCEDES-BENZ (EU) S-KLASSE W220 / V220 S 320 220.065/165 (1998-2005)



KLIMAANLAGEN-KOMPRESSOR

Füllmenge (gesamt): 120 cm³

Für diese Komponente kann keine Standardempfehlung abgegeben werden. Wenden Sie sich bitte an unseren technischen Dienst.

Die auf diesem Blatt erwähnten Daten dienen zur Orientierung des Lesers über Eigenschaften und Anwendungen unserer Produkte. Diese Übersicht wurde mit größter Sorgfalt am genannten Datum zusammengestellt. Trotzdem trägt der Hersteller keine Haftung für Schäden infolge von Unvollständigkeiten und/oder Fehlern in der Übersicht, insbesondere, wo es sich um offensichtliche Druckfehler handelt. Für alle Produktlieferungen gelten die Lieferbedingungen des Lieferanten. Vor allem bei kritischen Anwendungen wird dem Leser empfohlen, die letztendliche Produktwahl nach Rücksprache mit dem Lieferanten zu treffen.