

# MERCEDES-BENZ (EU) C-CLASS W203 / S203 / CL203 C 280 4MATIC 203.092/292 (2005-2007)



**ENGINE** M272.940  
Capacity: 8 liter

USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar 0W-40</b>	<b>Emperol 5W-40</b>	<b>Emperol 5W-50</b>

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

**DIFFERENTIAL FRONT**  
Capacity: 0,46 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1071</b>	<b>Gearlube LS 80W-90</b>	

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

**DIFFERENTIAL REAR**

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1071</b>	<b>Gearlube LS 80W-90</b>	

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

**TRANSFERBOX**  
Capacity: 0,59 liter

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 2032</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 60000 km*

**TRANSMISSION AUTOMATIC** 722.6xx 5/1  
Capacity: 9 liter

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 60000 km*

# MERCEDES-BENZ (EU) C-CLASS W203 / S203 / CL203 C 280 4MATIC 203.092/292 (2005-2007)



## TRANSMISSION MANUAL 716.6xx 6/1

Capacity: 1,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 5015**

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

## HYDRAULIC ACTUATION GEARBOX

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3013**

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

## HYDRAULIC LEVELLING SYSTEM

Capacity: 2 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

## HYDRAULIC BRAKE/CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4**

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 24 months*

## POWER STEERING

Capacity: 1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3013**

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

PRODUCT RECOMMENDATION

# MERCEDES-BENZ (EU) C-CLASS W203 / S203 / CL203 C 280 4MATIC 203.092/292 (2005-2007)



## COOLING SYSTEM

Capacity: 10 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 11</b>	<b>Coolant SP 12 EVO</b>	

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 250000 km/ 180 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*