MERCEDES-BENZ (EU) GL-CLASS X166 GL 400 4MATIC 166.856 (2014-2015)



ENGINE M276.821 Capacity: 6,5 liter		
USE		CLIMATE
Flexible (max)		Moderate
PRODUCT RECOMMENDATION 1		Moderate
Helar 0W-40		
Change every 25000 km		
DIFFERENTIAL FRONT Capacity: 0,8 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 1071		
DIFFERENTIAL DEAD 407 FF (\$407		
DIFFERENTIAL REAR 187 FE, Ø 187 mr Capacity: 0,95 liter	n	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 1071		
DIFFERENTIAL REAR 200 FE, Ø 200 mr		
Capacity: 1,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 1071		
DIFFERENTIAL REAR 215 FE, Ø 215 mr Capacity: 1,2 liter	m	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 1071		

MERCEDES-BENZ (EU) GL-CLASS X166 GL 400 4MATIC 166.856 (2014-2015)



SP Matic 4026				
PRODUCT RECOMMENDATION 1				
Normal		Moderate		
USE		CLIMATE		
TRANSFERBOX Capacity: 0,5 liter, Capacity: 1,5 liter (+ dual range)				

TRANSMISSION AUTOMATIC 722.9xx 7/1 Capacity: 9 liter (Dry fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 2094				
Change every 125000 km/ 60 months	'			

HYDRAULIC BRAKE SYSTEM ABS Capacity: 0,8 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-S DOT 4	
Change every 24 months	

COOLING SYSTEM Capacity: 10,5 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 11	Coolant SP 12 EVO		

Change every 250000 km/ 180 months

AIRCONDITIONING COMPRESSOR

Capacity: 120 CM3, Capacity: 160 CM3 (+ code 582)

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 1050 grams, Capacity: 1400 grams (+ code 582)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.