

# MERCEDES-BENZ (EU) M-CLASS W164 ML

## 63 AMG 164.177 (2007-2011)



**ENGINE** M156.98x  
Capacity: 9,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Helar 0W-40**

*Change every 20000 km/ 12 months*

### DIFFERENTIAL FRONT

Capacity: 1,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071**

PRODUCT RECOMMENDATION 2

**Gearlube LS 80W-90**

### DIFFERENTIAL REAR

Capacity: 1,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071**

PRODUCT RECOMMENDATION 2

**Gearlube LS 80W-90**

### DIFFERENTIAL REAR DIFFERENTIAL LOCK

Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071**

### TRANSFERBOX

Capacity: 0,5 liter, Capacity: 1,5 liter (+ dual range)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

# MERCEDES-BENZ (EU) M-CLASS W164 ML 63 AMG 164.177 (2007-2011)


**TRANSMISSION AUTOMATIC 722.9XX AS OF PRODUCTION NR. 2834527 722.9xx 7/1**

Capacity: 9 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 2094***Change every 125000 km/ 60 months*
**TRANSMISSION AUTOMATIC 722.9XX UP TO PRODUCTION NR. 2834526 722.9xx 7/1**

Capacity: 9 liter (Dry fill)

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026***Change every 60000 km*
**HYDRAULIC BRAKE SYSTEM ABS**

Capacity: 0,8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 24 months*
**POWER STEERING**

Capacity: 1,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**
**COOLING SYSTEM**

Capacity: 7,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 11**

PRODUCT RECOMMENDATION 2

**Coolant SP 12 EVO***Change every 250000 km/ 180 months*

PRODUCT RECOMMENDATION

# **MERCEDES-BENZ (EU) M-CLASS W164 ML 63 AMG 164.177 (2007-2011)**



*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*