

# MERCEDES-BENZ (EU) R-CLASS W251 R

## 320 CDI DPF 4MATIC 251.022/122 (2007-2009)

**ENGINE OM642.950**

Capacity: 8,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>	<b>Presteza MSP 5W-30</b>

*Change every 25000 km/ 12 months***DIFFERENTIAL FRONT**

Capacity: 1,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1071</b>	<b>Gearlube LS 80W-90</b>	

**DIFFERENTIAL REAR**

Capacity: 1,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1071</b>	<b>Gearlube LS 80W-90</b>	

**TRANSFERBOX**

Capacity: 0,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

**TRANSMISSION AUTOMATIC 722.9xx 7/1**

Capacity: 9 liter (Dry fill)

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*Change every 60000 km*

# MERCEDES-BENZ (EU) R-CLASS W251 R

## 320 CDI DPF 4MATIC 251.022/122 (2007-2009)



### HYDRAULIC BRAKE SYSTEM ABS

Capacity: 0,8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 24 months*

### POWER STEERING

Capacity: 1,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 4026**

PRODUCT RECOMMENDATION 2

**SP Matic 2032**

### COOLING SYSTEM

Capacity: 10,1-13 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 11**

PRODUCT RECOMMENDATION 2

**Coolant SP 12 EVO***Change every 250000 km/ 180 months*

### AIRCONDITIONING COMPRESSOR

We are unable to give a standard recommendation for this component. Please contact our service department.

### AIRCONDITIONING SYSTEM

Capacity: 970 grams, Capacity: 1220 grams (with 2 zone airconditioning system)

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*