MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 MERCEDES-MAYBACH S 400 4MATIC 222.967 (2015-2018)



ENGINE M276.824 Capacity: 6,5 liter	
USE	CLIMATE
Flexible (max)	Moderate
PRODUCT RECOMMENDATION 1	
Helar 0W-40	
Change every 25000 km	

DIFFERENTIAL FRONT Capacity: 0,55 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1071	

DIFFERENTIAL REAR 200 FE, Ø 200 mm Capacity: 1,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Gear 1071		

CLIMATE
Moderate

DIFFERENTIAL REAR 240 FE, Ø 2 Capacity: 1,6 liter	40 mm		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Gear 1071			

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 MERCEDES-MAYBACH S 400 4MATIC 222.967 (2015-2018)



Normal Moderate PRODUCT RECOMMENDATION 1 SP Matic 2094	TRANSFERBOX Capacity: 0,65 liter	

Change every 125000 km/60 months

TRANSMISSION AUTOMATIC 722.96x 7/1 Capacity: 9,7 liter (Dry fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2094		
Change every 125000 km/ 60 months	•	

TRANSMISSION AUTOMATIC 725.041 9/1

USE

Normal

PRODUCT RECOMMENDATION 1

SP Matic 2096

Change every 125000 km/ 60 months

ACTIVE BODY CONTROL SYSTEM Capacity: 4 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

HYDRAULIC BRAKE SYSTEM ABS Capacity: 0,6 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-S DOT 4	
Change every 24 months	

PRODUCT RECOMMENDATION

MERCEDES-BENZ (EU) S-CLASS W222 / V222 / X222 MERCEDES-MAYBACH S 400 4MATIC 222.967 (2015-2018)



COOLING SYSTEM Capacity: 12,3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 12 EVO	
Change every 200000 km/ 120 months	·

AIRCONDITIONING COMPRESSOR

Capacity: 120 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 770 grams, Capacity: 870 grams (+ code 582)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.