

MERCEDES-BENZ (EU) SL-CLASS R231 SL

500 231.473 (2012-2014)

**ENGINE** M278.927

Capacity: 8,5 liter

USE

Flexible (max)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Helar 0W-40*Change every 25000 km***DIFFERENTIAL REAR** 200 FE, Ø 200 mm

Capacity: 1,1 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071**DIFFERENTIAL REAR** 215 FE, Ø 215 mm

Capacity: 1,2 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071**DIFFERENTIAL REAR LIMITED SLIP WITH CODE 030** 215 FE, Ø 215 mm

Capacity: 1,2 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Change every 3000 km*

USE

Initial service

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Gearlube Racing 75W-140*Change every 50000 km/ 36 months*

MERCEDES-BENZ (EU) SL-CLASS R231 SL

500 231.473 (2012-2014)


TRANSMISSION AUTOMATIC 722.909 7/1

Capacity: 9 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2094*Change every 125000 km/ 60 months*
TRANSMISSION AUTOMATIC 725.0xx 9/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2096*Change every 125000 km/ 60 months*
ACTIVE BODY CONTROL SYSTEM

Capacity: 3,5 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Fluid 3013
HYDRAULIC BRAKE SYSTEM ABS

Capacity: 0,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid-S DOT 4*Change every 24 months*
COOLING SYSTEM

Capacity: 12,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 11

PRODUCT RECOMMENDATION 2

Coolant SP 12 EVO*Change every 200000 km/ 120 months*

MERCEDES-BENZ (EU) SL-CLASS R231 SL 500 231.473 (2012-2014)



AIRCONDITIONING COMPRESSOR

Capacity: 120 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 550 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.