

# MERCEDES-BENZ (EU) SLK-CLASS R172

## SLK 350 172.457 (2011-2015)

**ENGINE** M276.956

Capacity: 6,5 liter

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1

**Helar 0W-40***Change every 25000 km***DIFFERENTIAL REAR** 187 FE, Ø 187 mm

Capacity: 0,95 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071****DIFFERENTIAL REAR** 200 FE, Ø 200 mm

Capacity: 1,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071****DIFFERENTIAL REAR** 215 FE, Ø 215 mm

Capacity: 1,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1071****TRANSMISSION AUTOMATIC** 722.9xx 7/1

Capacity: 9 liter (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Matic 2094***Change every 125000 km/ 60 months*

# MERCEDES-BENZ (EU) SLK-CLASS R172

## SLK 350 172.457 (2011-2015)



### HYDRAULIC BRAKE SYSTEM

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4***Change every 24 months*

### POWER STEERING

Capacity: 1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3013**

### COOLING SYSTEM

Capacity: 10,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 11**

PRODUCT RECOMMENDATION 2

**Coolant SP 12 EVO***Change every 250000 km/ 180 months*

### AIRCONDITIONING COMPRESSOR

Capacity: 120 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

### AIRCONDITIONING SYSTEM

Capacity: 550 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*