

# MITSUBISHI (EU) GRANDIS NA0W GRANDIS 2.0 DI-D DPF (2008-2010)

**ENGINE BWC (VW)**

Capacity: 4 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Helar SP LL-03 5W-30***Change every 15000 km/ 12 months***TRANSAXLE MANUAL F6MBA 6/1**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**SP Gear 5015***Check every 15000 km/ 12 months, change every 105000 km/ 84 months***HYDRAULIC BRAKE SYSTEM**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

## PRODUCT RECOMMENDATION 2

**Drauliquid-S DOT 4**

## PRODUCT RECOMMENDATION 3

**Drauliquid DOT 3***Change every 24 months***HYDRAULIC CLUTCH SYSTEM**

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

## PRODUCT RECOMMENDATION 2

**Drauliquid-S DOT 4**

## PRODUCT RECOMMENDATION 3

**Drauliquid DOT 3***Change every 24 months***POWER STEERING**

Capacity: 1 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**SP Matic 2032**

## PRODUCT RECOMMENDATION 2

**ATF Almirol**

## PRODUCT RECOMMENDATION 3

**ATF Dexron II-D***Change every 15000 km/ 12 months*

# MITSUBISHI (EU) GRANDIS NA0W GRANDIS 2.0 DI-D DPF (2008-2010)



## COOLING SYSTEM

Capacity: 8 liter, Capacity: 9,5 liter (with 4 zone airconditioning system)

USE	CLIMATE
Normal	Moderate

### PRODUCT RECOMMENDATION 1

**Coolant SP 14+**

Check every 30000 km/ 24 months, change every 60000 km/ 48 months

## AIRCONDITIONING COMPRESSOR

Capacity: 80 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*