

PRODUCT RECOMMENDATION

# NISSAN (EU) PATHFINDER / TERRANO

## PATHFINDER / TERRANO 2.4i 2WD D21

(1990-1995)



**ENGINE** Z24i

Capacity: 4,3 liter, Filter capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Emperol 10W-40</b>	<b>Classic Racing Oil 15W-50</b>	<b>HDX 20W-50</b>

*Change every 10000 km/ 6 months*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1		
<b>Asyntho 5W-30</b>		

*Change every 10000 km/ 6 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Emperol 10W-40</b>	<b>Classic Racing Oil 15W-50</b>	<b>HDX 20W-50</b>

*Change every 5000 km/ 3 months*

USE	CLIMATE
Severe	Cold

PRODUCT RECOMMENDATION 1		
<b>Asyntho 5W-30</b>		

*Change every 5000 km/ 3 months*

# NISSAN (EU) PATHFINDER / TERRANO

## PATHFINDER / TERRANO 2.4i 2WD D21

(1990-1995)

**DIFFERENTIAL REAR (4x2)**

Capacity: 1,3 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1

**Gearlube GL-5 85W-140***Check every 20000 km/ 12 months*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**SP Gear 5015**

PRODUCT RECOMMENDATION 3

**Gearlube RPC 75W-80***Check every 20000 km/ 12 months*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

**SP Gear 1081***Check every 20000 km/ 12 months***TRANSMISSION MANUAL 5/1**

Capacity: 4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**SP Gear 5015**

PRODUCT RECOMMENDATION 3

**Syngear TDL 75W-90***Check every 20000 km/ 12 months*

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1

**SP Gear 1081***Check every 20000 km/ 12 months***HYDRAULIC BRAKE SYSTEM**

Capacity: 2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3***Change every 40000 km/ 48 months*

# NISSAN (EU) PATHFINDER / TERRANO

## PATHFINDER / TERRANO 2.4I 2WD D21

(1990-1995)



### HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Drauliquid DOT 3**

*Check every 20000 km/ 12 months*

### POWER STEERING

Capacity: 0,9-1 liter

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**SP Matic 2032**

*Check every 10000 km/ 6 months*

### GREASE POINTS/NIPPLES OTHERS

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Labora Grease**

#### PRODUCT RECOMMENDATION 2

**Q5 MP Calcep Grease EP 2**

#### PRODUCT RECOMMENDATION 3

**MP Lithep Grease EP 2**

*Check every 10000 km/ 6 months*

### GREASE POINTS/NIPPLES WHEEL BEARINGS FRONT

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Labora Grease**

#### PRODUCT RECOMMENDATION 2

**Q5 MP Calcep Grease EP 2**

#### PRODUCT RECOMMENDATION 3

**MP Lithep Grease EP 2**

*Check every 40000 km/ 24 months*

### COOLING SYSTEM

Capacity: 8,2 liter

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant -38 Organic NF**

*Change every 40000 km/ 48 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.