PEUGEOT PARTNER TEPEE B9 PARTNER TEPEE 1.6 HDI 75 DPF 9HK, 9HN (2008-2011)



ENGINE DV6TED4B Capacity: 3,75 liter, Filter capacity: 0	,25 liter	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30
Change every 20000 km/24 months)	
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30
Change every 15000 km/ 12 months		

TRANSAXLE MANUAL BE4R 5/1 Capacity: 1,9 liter (Dry fill), Capacity: 1,8 liter (Service fill)			
USE		CLIMATE	
Filled for life		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 5015	Gearlube RPC 75W-80		
Check every 20000 km/24 months	}	<u> </u>	

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Change every 24 months	·

ELECTRO-HYDRAULIC POWER STEER Capacity: 1,8 liter	(EHPS)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		
Check every 20000 km/ 24 months		

PEUGEOT PARTNER TEPEE B9 PARTNER TEPEE 1.6 HDI 75 DPF 9HK, 9HN (2008-2011)



HYDRAULIC POWER STEERING		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

COOLING SYSTEM Capacity: 6,3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

Check every 20000 km/24 months, change every 120000 km/60 months

AIRCONDITIONING COMPRESSOR Capacity: 135 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.