## PEUGEOT PARTNER TEPEE B9 PARTNER TEPEE 1.6 HDI 92 9HP (2012-2015)



ENGINE DV6DTED Capacity: 3,75 liter, Filter capacity: 0,5 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30		

TRANSAXLE MANUAL BE4R 5/1 Capacity: 1,9 liter (Dry fill), Capacity: 1,8 liter (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
SP Gear 1081				

TRANSAXLE MANUAL BVM6 6/1 Capacity: 2,2 liter (Dry fill), Capacity: 2,1 liter (Service	fill)
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 1081	

TRANSAXLE MANUAL MCM 6/1 Capacity: 2,2 liter (Dry fill), Capacity: 2,1 liter (Service fill)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Gear 1081			

TRANSAXLE SEMI-AUTOMATIC MCP 6/1 Capacity: 2,2 liter (Dry fill), Capacity: 2,1 liter (Service fill)				
Э				

## PEUGEOT PARTNER TEPEE B9 PARTNER TEPEE 1.6 HDI 92 9HP (2012-2015)



HYDRAULIC ACTUATION MCP GEARBO	OX .	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		
HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-LV Super DOT 4		
	W.O. (EUDO)	
ELECTRO-HYDRAULIC POWER STEER	ING (EHPS)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		
HYDRAULIC POWER STEERING		
		Ol Water
use Normal		CLIMATE Moderate
		Noderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE	_	CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.