## **PORSCHE (EU) 911 991 911 TURBO S** (2013-2016)



ENGINE MA1.71S Capacity: 10,1 liter (Dry fill), Capacity: 7,5 liter (Service fill)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Specialsynth MSP 5W-40	Helar 0W-40	Emperol 5W-40	

Change every 30000 km/ 24 months

DIFFERENTIAL FRONT		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1011	Syngear TDL 75W-90	

Change every 180000 km/ 144 months

## TRANSFERBOX PTM Clutch

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSMISSION SEMI-AUTOMATIC CLUTCH PART CG1.55 / ZF 7DT45 Capacity: 5,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2072		
<b>e</b> i (1999) (1997) (1997)		

Change every 180000 km/ 144 months

TRANSMISSION SEMI-AUTOMATIC TRANSMISSION PART CG1.55 / ZF 7DT45 7/1 Capacity: 3 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1011	Syngear TDL 75W-90		
Change avery 180000 km/ 111 may	ntho	:	

Change every 180000 km/ 144 months

## **PORSCHE (EU) 911 991 911 TURBO S** (2013-2016)



HYDRAULIC BRAKE/CLUTCH SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid-LV Super DOT 4		

Change every 24 months

COOLING SYSTEM			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 12	Coolant SP 12 EVO		
Check every 24 months/ 30000 km	·		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.