PORSCHE (EU) 911 997 911 TURBO S (2010-2012)



	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Helar 0W-40	Emperol 5W-40

Change every 30000 km/24 months

DIFFERENTIAL FRONT			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1011	Syngear TDL 75W-90		

TRANSMISSION SEMI-AUTOMATIC CLUTCH PART CG1.50 / ZF 7DT70 Capacity: 5,2 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Matic 2072			

TRANSMISSION SEMI-AUTOMATIC TRANSMISSION PART CG1.50 / ZF 7DT70 7/1 Capacity: 3 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1011	Syngear TDL 75W-90		

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0,45 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Check every 24 months/ 30000 km	

PORSCHE (EU) 911 997 911 TURBO S (2010-2012)



POWER STEERING Capacity: 1,27 liter	
use Normal	CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Fluid 3013	

COOLING SYSTEM Capacity: 29-32 liter			
use Normal		CLIMATE	
		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Coolant SP 12	Coolant SP 12 EVO		
Check every 24 months/ 30000 km	,		

Check every 24 months/ 30000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.