

# PORSCHE (EU) CAYMAN 981 CAYMAN GTS (2013-2016)

**ENGINE MA1.23**

Capacity: 10,1 liter (Dry fill), Capacity: 7,5 liter (Service fill), Filter capacity: 0,25 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Specialsynth MSP 5W-40</b>	<b>Helar 0W-40</b>	<b>Emperol 5W-40</b>

*Change every 30000 km/ 24 months***TRANSAXLE MANUAL G81.20 6/1**

Capacity: 3,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	

*Change every 180000 km/ 144 months***TRANSMISSION SEMI-AUTOMATIC CLUTCH PART CG2.25 / ZF 7DT45**

Capacity: 5,3 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>SP Matic 2072</b>		

*Change every 180000 km/ 144 months***TRANSMISSION SEMI-AUTOMATIC TRANSMISSION PART CG2.25 / ZF 7DT45 7/1**

Capacity: 2,9 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>	

*Change every 180000 km/ 144 months***HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0-0 liter (Between min and max.)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Drauliquid-LV Super DOT 4</b>		

*Change every 24 months*

# PORSCHE (EU) CAYMAN 981 CAYMAN GTS (2013-2016)


**COOLING SYSTEM**

Capacity: 23 liter

## USE

Normal

## CLIMATE

Moderate

## PRODUCT RECOMMENDATION 1

**Coolant SP 12**

## PRODUCT RECOMMENDATION 2

**Coolant SP 12 EVO***Check every 24 months/ 30000 km*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*