

# RENAULT (EU) ESPACE IV J81 ESPACE IV 3.0 V6 DCI 180 (2007-2009)

**ENGINE P9X**

Capacity: 7,3 liter, Filter capacity: 0,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar MSP+ 5W-40</b>	<b>Specialsynth MSP 5W-40</b>	<b>Helar 0W-40</b>

*Change every 20000 km/ 12 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar MSP+ 5W-40</b>	<b>Specialsynth MSP 5W-40</b>	<b>Helar 0W-40</b>

*Change every 10000 km/ 6 months***TRANSAXLE AUTOMATIC Aisin Warner SU 1 5/1**

Capacity: 7,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*Check every 10000 km***TRANSAXLE AUTOMATIC SU4 6/1**

Capacity: 7 liter (Dry fill), Capacity: 3,3 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>SP Matic 4026</b>		

*Check every 10000 km***HYDRAULIC BRAKE SYSTEM ABS**

Capacity: 1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>Drauliquid-LV Super DOT 4</b>		

*Check every 20000 km/ 12 months, change every 120000 km/ 48 months*

# RENAULT (EU) ESPACE IV J81 ESPACE IV 3.0 V6 DCI 180 (2007-2009)



## POWER STEERING BELT-DRIVEN HYDRAULIC PUMP

Capacity: 1,1 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>ATF Dexron II-D</b>		

## COOLING SYSTEM

Capacity: 9,5 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Coolant SP 16</b>		

*Check every 20000 km/ 12 months, change every 120000 km/ 48 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*