RENAULT (EU) SANDERO II B52 SANDERO II 1.6 16V (2013 AND AFTER)



| ENGINE K4M Capacity: 4,8 liter | | |
|-----------------------------------|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Duranza LSP 5W-30 | Meganza MSP 5W-30 | Avanza RPC 5W-30 |
| Change every 30000 km/ 12 months | | |
| USE | | CLIMATE |
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Duranza LSP 5W-30 | Meganza MSP 5W-30 | Avanza RPC 5W-30 |

Change every 15000 km/ 6 months

| TRANSAXLE AUTOMATIC DP2 4/1 Capacity: 2,5 liter | | |
|--|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| SP Matic 2032 | ATF Almirol | |

| TRANSAXLE MANUAL JH3 5/1 Capacity: 2,8 liter | | |
|---|--------------------------|---------------------|
| use Normal | | climate Moderate |
| Noma | | Moderale |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| SP Gear 5015 | Gearlube RPC 75W-80 | |

| HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1 liter | | |
|--|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Drauliquid-LV Super DOT 4 | | |
| Check every 30000 km/ 12 months, change every 120000 km/ 48 months | | |

RENAULT (EU) SANDERO II B52 SANDERO II 1.6 16V (2013 AND AFTER)



| POWER STEERING | |
|--------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| ATF Dexron II-D | |

COOLING SYSTEM

| Capacity: 4,5 liter, Capacity: 5,5 liter (+ airconditioning) | | |
|--|--|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Coolant SP 16 | | |
| Check every 30000 km/ 12 months, change every 120000 km/ 48 months | | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.