SCION (USA / CAN) IQ IQ 1.3 (USA) NGJ10 (2013-2015)



ENGINE 1NR-FE Capacity: 3,9 liter (Dry fill), Capacity: 3,5 liter (Service fill), Filter capacity: 0,2 liter				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Presteza MSP 0W-20				
Change every 10000 miles/ 12 months				
USE	CLIMATE			
Severe	Moderate			
PRODUCT RECOMMENDATION 1				
Presteza MSP 0W-20				
Change every 5000 miles/ 6 months				
TRANSAXLE CVT K41B 1/1 Capacity: 6,2 liter (Dry fill), Capacity: 1,4-1,6 liter (Service fill)				
USE	CLIMATE			

PRODUCT RECOMMENDATION 1				
SP Matic 4016				
Check every 30000 miles/ 36 months	3			
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4016				

Moderate

Check every 30000 miles/36 months, change every 60000 miles/72 months

HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Drauliquid DOT 3				
Check every 5000 miles/ 6 months				

KROON-OIL B.V. Postbus 149 7600 AC Almelo

Normal

PRODUCT RECOMMENDATION

SCION (USA / CAN) IQ IQ 1.3 (USA) NGJ10 (2013-2015)



COOLING SYSTEM Capacity: 4,9 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months				

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.