TOYOTA (EU) IQ XJ10 IQ 1.0 VVT-I (2013-2015)



ENGINE 1KR-FE Capacity: 3,4 liter (Dry fill), Capacity: 3,1 liter (Service fill), Filter capacity: 0,2 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Presteza MSP 5W-30		
Change every 15000 km/ 12 months	s			
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Presteza MSP 5W-30		
Change every 7500 km/ 6 months				

JSE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4016	
Check every 48 months/ 60000 km	
JSE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4016	

change every 90000 km/ 72 months	
	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	
SP Gear 5015	
	CLIMATE
	Moderate
PRODUCT RECOMMENDATION 2	
SP Gear 5015	
S	
	PRODUCT RECOMMENDATION 2 SP Gear 5015 PRODUCT RECOMMENDATION 2 SP Gear 5015

TOYOTA (EU) IQ XJ10 IQ 1.0 VVT-I (2013-2015)



HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Drauliquid DOT 3				
Change every 30000 km/ 24 months				

COOLING SYSTEM Capacity: 4,5 liter (with CVT), Capacity: 4,3 liter (with manual transmission)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 30000 km, change every 90000 km				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 30000 km, change every 150000 km				

AIRCONDITIONING COMPRESSOR R-134a Capacity: 115 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM R-134a Capacity: 330-390 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.